

SWEEP AUGER

ACCESSORIES ADDITIONAL SYSTEMS


FILE 5.49

VERSION 4. 22/04/2024

TECHNICAL SPECIFICATIONS

Turns around in side the silo in order to evacuate the natural grain slope remaining inside.

COD. ASCLESCR, ASPARKDET, ASNIVDET, ASCEP****, ASS140****, ASS170****, ASSCD170****, AS210****, ASSCD210****, ASS2801451, ASSCD280****, ASSCD350****, ASS170****R, ASS170****R, ASSCD170****R, ASS210****R, ASSCD210****R, ASS280****R, ASS280****R, ASSCD280****R, ASS140****60HZ, ASS170****60HZ, ASSCD170****60HZ, ASS210****60HZ, ASSCD210****60HZ, ASS280145160HZ, ASSCD280****60HZ, ASSCD350****60HZ, ASS170****60HZR, ASSCD170****60HZR, ASS210****60HZR, ASSCD210****60HZR, ASS280****60HZR, ASSCD280****60HZR, ASSCD1700460RP



TYPES

- 1** TYPE S
 - Motor located inside of the silo.
 - ATEX 21.
 - Ideal when there is no trench under the silo.
 - Easy to install in existing silo.
 - For wheat, maize, rape seed, barley, oats and sunflower seed.
- 2** TYPE SCD
 - Motor located outside of the silo.
 - ATEX 20 inside/21 outside.
 - High gravity flow and large discharge capacities.
 - Easy access to mechanical and electrical parts.
 - For wheat, maize, rapeseed, barley, oats and sunflower seed.
- 3** TYPE SCD REFORZADO
 - Reinforced structure with lower rpm so lower capacities as well.
 - For soybeans, peas, beans, wood pellets and clean, non-abrasive hulled rice.
- 4** TYPE SCD EXTRA REINFORCE
 - ATEX 20 dentro/21 fuera.
 - More reinforced structure and lower rotation speed so it gives lower capacities.
 - For paddy rice.
- 5** ACCESORIOS OPCIONALES
 - Second wheel. Included for $\varnothing > 22m$.
 - Cleaning screw. Included for $\varnothing > 27m$.
 - Brush. Improves cleaning.
 - Sensors.

Type	140	170	210	230	260	290
Outputs (wheat $d=0,75$)	25 T/H	50 T/H	80 T/H	100 T/H	150 T/H	200 T/H
Gravity flow (wheat $d=0,75$)	300 T/H	300 T/H	300 T/H	300 T/H	400 T/H	400 T/H

Type	170	210	230	260	290	350
Capacity (wheat $d=0,75$)	25 to 50 T/H	50 to 80 T/H	80 to 100 T/H	105 to 150 T/H	160 to 200 T/H	200 to 300 T/H
Gravity flow (wheat $d=0,75$)	400 T/H	400 T/H	400 T/H	500 T/H	500 T/H	1000 T/H



TWO MOVEMENTS-

